

VETPAK SAFETY DATA SHEET

Section 1: Identification of the Substance or Mixture and of the Supplier

Product Name: Keymins

Other names: Keymins Soluble

Recommended Use: Soluble trace minerals.

Company Details: Vetpak Ltd.

Address: 249 Bruce Berquist Dr, Te Awamutu 3800.

Telephone Number: (07) 870 2024

Emergency Telephone Number: (0800) 764-766 24 hours. National Poisons Centre, Department of Preventative and Social Medicine, University of Otago, P O Box 913, Dunedin, New Zealand.
(07) 870 2024 Vetpak. 8.00am to 5.00pm Monday to Friday except public holidays.

Date of Preparation: 11th December 2019

Section 2: Hazards Identification

STATEMENT OF HAZARDOUS NATURE

This product is **HAZARDOUS IN THIS FORM AND AT THIS STRENGTH.**

Handle correctly and as directed by this SDS.

HAZARD LABELLING WARNING



HAZARD CLASSIFICATION AND STATEMENTS

HSNO	HSNO	GHS	Signal Word	GHS Hazard Statement
6.1D	Acute Toxicity (All)	Category 4	Warning	H302 H312 H332 Harmful if swallowed, in contact with skin, if inhaled
6.3A	Skin Irritation	Category 2	Warning	H315 Causes skin irritation
6.4A	Serious eye damage/ eye irritation	Category 2	Warning	H319 Causes serious eye irritation
6.5B	Contact sensitiser	Category 1	Warning	H317 May cause an allergic skin reaction
6.7B	Suspected human carcinogen	Category 2	Warning	H351 Suspected of causing cancer
6.8B	Suspected human reproductive or developmental toxicant	Category 2	Warning	H361 Suspected of damaging fertility or the unborn child
6.9A	Harmful to human target organs or systems	Category 1	Danger	H370 H372 Causes damage to organs
8.3A	Corrosive to ocular tissue	Category 1	Danger	H318 Causes serious eye damage
9.1A	Aquatic toxicity	Category 1	Warning	H400 Very toxic to aquatic life
9.3C	Harmful to terrestrial vertebrates	None	None	H432 Toxic to terrestrial vertebrates

VETPAK SAFETY DATA SHEET

Prevention Statements:

- P102 & P103: Keep out of reach of children & Read label before use
P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P260 & P261: Do not breathe mist/vapours/spray & Avoid breathing dust
P264: Wash hands thoroughly after use.
P270: Do not eat, drink or smoke when handling this product.
P272: Contaminated work clothing should not be allowed out of the workplace.
P273: Avoid release to the environment.
P280: Wear protective gloves / clothing and eye / face protection.

Section 3: Composition / Information on Ingredients:

COMPOSITION

Ingredient	CAS Number	% w/w	HAZARDOUS
Copper Sulphate	7758-99-8	40	Yes 6.1D; 6.3A; 6.4A; 6.5B; 6.9B; 9.1A; 9.3C
Zinc Sulphate	7733-02-0	<36	Yes 6.1D; 6.9B; 8.3A; 9.1A; 9.3C
Cobalt Sulphate	10026-24-1	<3	Yes 6.7B; 6.8B
Balance			No Balance of ingredients are non-hazardous or hazardous in less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitisers)

Section 4: First Aid Measures:

Swallowed: Rinse mouth, then drink plenty of water. Do NOT induce vomiting. Call a Poison Centre or doctor/physician for advice. Never give anything by mouth to an unconscious person.

Skin: Remove contaminated clothing and shoes immediately. Flush skin and hair with running water for several minutes; Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse.

Eye: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Centre or doctor/physician for advice - Obtain immediate medical care.

Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Apply resuscitation if victim is not breathing. Administer oxygen if breathing is difficult.

Workplace Facilities: Ensure an eye bath and running water are available and ready for use.

Notes for Medical Personnel: Treat symptomatically based on individual reactions of patient and judgment of doctor.

Section 5: Fire Fighting Measures

Type of Hazard: Product is non-flammable.

Hazards from Combustion Products: Decomposes on heating emitting toxic fumes of oxides of copper and zinc

Extinguishing Media & Methods: In case of fire, use appropriate media most suitable for surrounding fire conditions.

Recommended Protective Clothing: Fire fighters should wear a self contained breathing apparatus and full protective clothing along with protective equipment.

VETPAK SAFETY DATA SHEET

Section 6: Accidental Release Methods

Emergency Procedures: Personal involved in the clean up should wear full protective clothing. Increase ventilation. Avoid generating dust. Do not allow product to reach drains, sewers or waterways.

Methods and Materials for Containment and Cleanup: Contain and sweep / shovel up spills with dust binding material or use an industrial vacuum cleaner. Transfer to a suitable, labelled container and hold for disposal.

Section 7: Handling and Storage

Handling: Ensure an eye bath and safety shower are available and ready for use. Handle in accordance with good industrial hygiene. And safety practice. Wash thoroughly after handling.

Storage: Store in the original, labelled container with the lid tightly closed. Store in a cool, dry, well ventilated area. Keep containers tightly sealed when not in use. Inspect regularly for deficiencies such as damage or leaks. Protect from physical damage. Store away from incompatible materials.

Section 8: Exposure Controls / Personal Protection

Workplace Exposure Standards: No exposure standard is established. The exposure standard for dust not otherwise specified is 8hr TWA 10mg/m³ (inhalable dust) and 3mg/m³ (respirable dust).

Engineering Controls: Ensure adequate local or general exhaust ventilation to maintain airborne concentrations of dust, vapour or fumes below the standards.

Personal Protection:

RESPIRATOR: Wear a positive pressure air supplied full-face respirator where dusts/vapours are generated and engineering controls are inadequate (AS1715/1716).

EYES: Safety glasses with side shields (AS1336/1337).

HANDS: Wear rubber or PVC gloves (AS2161).

CLOTHING: Long-sleeved protective clothing and safety footwear (AS3765/2210).



General hygiene: Wash hands thoroughly after handling.

Section 9: Physical and Chemical Properties

Appearance (physical state, colour etc.): Powder

Odour: Slight

pH:

Melting Point/Freezing Point (°C):

Boiling Point (°C):

Flammability: Not flammable

Lower Flammability/Explosive Limit:

Upper Flammability/Explosive Limit:

Vapour Pressure:

Vapour Density:

Relative Density:

Solubility in Water: Soluble

Specific Gravity: (water = 1)

VETPAK SAFETY DATA SHEET

Section 10: Stability and Reactivity

Stability of the Substance: Stable under normal conditions of use and storage.

Conditions to avoid: Heat.

Material to avoid: Avoid acids.

Hazardous decomposition Products: Oxides of zinc and copper.

Hazardous polymerization: Does not occur.

Section 11: Toxicological Information

Acute Effects:

Copper Sulphate: Oral LD₅₀ Rat: 472.5mg/kg.

Cobalt Sulphate: Oral LD₅₀ Rat: 582mg/kg

Zinc Sulphate: Oral LD₅₀ Mouse: 1891mg/kg

Swallowed: May cause gastrointestinal irritation

Skin: Prolonged or repeated contact may cause irritation and / or dermatitis.

Eye: May cause eye damage.

Inhaled: May cause respiratory tract irritation.

Chronic Effects: Not known.

Chronic Toxicity:

Irritation/Corrosion: Skin allergy and irritation

Carcinogenic Effects: May be carcinogenic.

Mutagenic Effects: Suspected of causing genetic defects

Reproductive or developmental effects: May cause damage through prolonged dermal exposure

Section 12: Ecological Information

Potential Environmental Considerations: Harmful to aquatic life with long-lasting effects.

Ecotoxicity in water:

Copper Sulphate: LC50/96hr : 0.571mg/L Fish

Chronic:

Phytotoxicity: No Data

Persistence and Degradability: No data

Mobility: No data

Bioaccumulation: Not established.

BOD and COD: No Data

Products of Biodegradation: No Data

Toxicity of the Products of Biodegradation: No Data

Section 13: Disposal Considerations

Disposal Information: Rinse empty container before disposal – add rinsings to use solutions. Dispose of in an authorised landfill and in accordance with local/regional/national regulations. Avoid contamination of any waterway with chemical or empty container.

VETPAK SAFETY DATA SHEET

Section 14: Transport Information

Hazard Class: 6.1D; 6.3A; 6.4A; 6.5A; 6.5B; 6.7B; 6.8B; 6.9A; 8.3A; 9.1A; 9.3C

UN Number: 3077

Packing Group: III

Hazchem Code:

Land Transport: Check regulations

Sea Transport: Check regulations

Air Transport: Check regulations

Other Information:

Section 15: Regulatory Information

HSNO Approval Number: HSR002521

HSNO Classifications:

6.1D (Acutely toxic)

6.3A (Irritating to the skin)

6.4A (Irritating to the eye)

6.5A (Respiratory sensitiser)

6.5B (Contact sensitiser)

6.7B (Suspected human carcinogen)

6.8B (Suspected human reproductive or developmental toxicant)

6.9A (Harmful to human target organs or systems)

8.3A (Causes serious eye damage)

9.1A (Aquatic toxicity)

9.3C (Vertebrate toxicity)

Regulatory status:

Section 16: Other Information

Interpretation and Abbreviations

Controls applying to a substance:

- * denotes that changes have been made to these controls, further information on these changes is located in the transfer notice for that substance,
- (R) abbreviation for the term Regulation of the Hazardous Substances regulations

AICS – Australian Inventory of Chemical Substances

AOX – Absorbable organic halogens.

APF – Assigned Protection Factor.

BOD – Biochemical Oxygen Demand China

COD – Chemical Oxygen Demand

DSL – Canadian Domestic Substances List.

EINECS – European Inventory of Existing Commercial Chemical Substances.

ENCS – Japanese Existing and New Chemical substances.

IARC – International Agency for Research on Cancer.

IDLH – Immediately Dangerous to Life or Health Concentrations.

ISHL – Japanese Industrial Safety and Health Law List of Chemicals.

LOEL – Lowest Observed Effect Level.

LD_{Lo} – Lethal Dose Low (the lowest dosage per unit of bodyweight of a substance known to have resulted in fatality in a particular animal species).

MAK – Maximum workplace concentration in the workplace air that generally does not have known adverse effects on the health of the employee nor cause unreasonable annoyance when a person is repeatedly exposed during long periods, usually 8 hours daily, 40hour working week).

NOAA – National Oceanic and Atmospheric Administration.

NOEC – No Observed Effect Concentration.

NTP – National Toxicology Program.

NZIoC – New Zealand Inventory of Chemicals.

Keymins,

11th December 2019,

Page 5 of 6



VETPAK SAFETY DATA SHEET

OECD HPV – The Organisation for Economic Co-operation and Development High Product Volume Chemicals.

PEL – Permissible exposure limit.

PPE – Personal Protective Equipment.

Prop 65 – California Proposition 65 List of Chemicals.

RTECS – Registry of Toxic Effects of Chemical substances

STEL – Short term exposure limit.

TOC – Total Organic Carbon.

TSCA – US Toxic Substances Control Act Existing Chemicals.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

VOC – Volatile Organic Compounds.

Date of Preparation/Review: 11th December 2019

Sources of key data used to compile the datasheet:

Manufacturers SDS

NZ EPA CCID

Health and Safety at Work (Hazardous Substances) Regulations 2017

Hazardous Substances (Minimum Degrees of Hazard) Notice 2017

Hazardous Substances (Safety Data Sheets Notice 2017

Hazardous Substances (Classification) Notice 2017

Labelling of Hazardous Substances Technical Guide 2012

DISCLAIMER

The information contained in this safety data sheet was obtained from current and reliable sources.

This data is supplied without warranty, expressed or implied, regarding its correctness and accuracy.

It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.

END OF SDS